

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date of issue: 22/01/2014 Revision date: 19/07/2023 Version: 2.8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Product name : Exonac AMF Ultra
UFI : 27EF-HTU5-950E-DKNG

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use, Industrial use

Industrial/Professional use spec : Wide dispersive use

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

**EOC Surfactants** 

Durmakker 35

BE- 9940 Evergem - Oost Vlaanderen

Belgium

T +3255235858 - F +3255235859

reach@eocgroup.com - www.eocgroup.com

#### 1.4. Emergency telephone number

Emergency number : +32479110190

Country	Organisation/Company	Address	Emergency number	Comment
Austria	Vergiftungsinformationszentrale	Stubenring 6 1010	+43 1 406 43 43	
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)
Bulgaria	Национален токсикологичен информационен център Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов"	бул. Ген. Едуард И. Тотлебен 21 1606	+359 2 9154 233	
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000	+385 1 234 8342	Information available 24/7 in Croatian and English
Cyprus	Κέντρου Δηλητηριάσεων		1401	Operating hours 24 hours / 24 hours, 7 days a week
Czech Republic	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00	+420 224 919 293 +420 224 915 402	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Denmark	Giftlinjen Bispebjerg Hospital	Bispebjerg Bakke 23E Opgang 20 C 2400	+45 82 12 12 12	
Estonia	Mürgistusteabekeskus Terviseamet	Paldiski mnt 81 10614	16662 +372 7943 794	Calling the hotline is anonymous and at the cost of a local call.
Finland	Myrkytystietokeskus	Stenbäckinkatu 9 PO BOX 100 00029	+358 800 147 111 +358 9 471 977	Open 24 hours a day 0800 147 111 (free of charge) 09 471 977 (normal rate call)
France	Centre Antipoison et de Toxicovigilance de Nancy Hôpital Central	29 avenue du Maréchal de Lattre-de-Tassigny 54035	+33 3 83 22 50 50	
Germany	Giftnotruf der Charité - Universitätsmedizin Berlin CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203	+49 (0) 30 19240	
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762	+30 21 07 79 37 77	
Iceland	Eitrunarmiðstöð Landspítali	101	+354 543 22 22 +354 543 10 00	Around the clock, every day
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Italy	Centro Antiveleni di Roma CAV Policlinico "Umberto I", Università di Roma	Viale del Policlinico, 155 00161	+39 06 4997 8000	
Latvia	Valsts ugunsdzēsības un glābšanas dienests Toksikoloģijas un sepses klīnikas Saindēšanās un zāļu informācijas centrs	Hipokrāta 2 1038	112 +371 67 04 24 73	works 24 hours a day
Lithuania	Apsinuodijimų informacijos biuras	Šiltnamių g. 29 04130	+370 5 236 20 52 +370 687 53378	
Luxembourg	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120	+352 8002 5500	Free telephone number with a 24/7 access. Experts answer all urgency questions on dangerous products in French, or German
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090	+356 2545 6508	
Netherlands	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer B.00.118 Postbus 85500 3508 GA	+31 88 755 80 00	Only for the purpose of informing medical personnel in cases of acute intoxications
Norway	Giftinformasjonen Helsedirektoratet	P.O. Box 7000 St. Olavs Plass 130	+47 22 59 13 00	Operating hours 24 hours / 24 hours, 7 days a week
Poland	Pomorskie Centrum Toksykologii Szpital MSWiA	UI. Kartuska 4/6 80-104	+48 58 682 04 04 +48 58 309 83 83	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Portugal	Centro de Informação Antivenenos Instituto Nacional de Emergência Médica	Rua Almirante Barroso, 36 1000-013	+351 800 250 250	
Romania	Department of Clinical Toxicology Spitalul de Urgenta Floreasca	Calea Floreasca	+40 21 230 8000	
Slovakia	Národné toxikologické informačné centrum Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinika pracovného lekárstva a toxikológie	Limbová 5 833 05	+421 2 54 77 41 66	
Slovenia	Center za klinično toksikologijo in farmakologijo Univerzitetni klinični, Center ljubljana	Zaloška 7 1000	112 +386 522 52 83	
Spain	Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid	C/José Echegaray nº4 28232	+34 91 562 04 20	(Toxicological emergencies only). Information in Spanish (24/7)
Sweden	Giftinformationscentralen	Solna Strandväg 21 171 54	112 – begär Giftinformation	

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318 Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

CLP Signal word : Danger

Contains : 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-C8-18(even numbered)

acyl derivs., hydroxides, inner salts; Amides, C12-18(even-numbered) and C18(unsatd.), N-

hydroxyethyl

Hazard statements (CLP) : H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

19/07/2023 (Revision date) EN (English) 3/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	EC-No.: 931-296-8 REACH-no: 01-2119488533- 30	10 – 25	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl	CAS-No.: 90622-77-8 EC-No.: 931-338-5 REACH-no: 01-2119489413- 33	5 – 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
propylene glycol substance with national workplace exposure limit(s) (GB, LT, PL)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	5 – 10	Not classified
2- phenoxyethanol substance with national workplace exposure limit(s) (DE, FI, PL)	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943- 21	0,1 – 1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	EC-No.: 931-296-8 REACH-no: 01-2119488533- 30	( 4 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c></c>

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

and the second of the second o	
First-aid measures general	: Check the vital functions. If unconscious place in recovery position and seek medical advice. In case of respiratory arrest, administer artificial respiration. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Take victim to a doctor if irritation persists.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists.  Wash with plenty of water.

19/07/2023 (Revision date) EN (English) 4/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Do not apply (chemical) neutralizing agents. In case of eye irritation consult an

ophthalmologist.

First-aid measures after ingestion : Rinse mouth thoroughly with water. In case of ingestion. Take to hospital.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Eye damage / irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water. Carbon dioxide (CO2). sand. All extinguishing media can be used.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Low.

Explosion hazard : None known.

### 5.3. Advice for firefighters

Precautionary measures fire : Keep upwind. Do not inhale explosion and combustion gases.

Firefighting instructions : Collect contaminated fire extinguishing water separately. This must not be discharged into

drains.

Protection during firefighting : Wear a self-contained breathing apparatus and chemical protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves. face shield. protective clothing. Contact with walking surface may result in formation

of slippery film/falling hazard.

Emergency procedures : Wash contaminated clothing immediately. Keep public away from danger area.

6.1.2. For emergency responders

Protective equipment : Wear protective gloves/protective clothing and eye/face protection.

Emergency procedures : Avoid contact with skin, eyes and clothes.

#### **6.2. Environmental precautions**

Prevent soil and water pollution. Prevent spreading in sewers.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain leaking substance, pump over in suitable containers. Small quantities of liquid spill:

take up in non-combustible absorbent material and shovel into container for disposal.

Methods for cleaning up : Contain leaking substance, pump over in suitable containers. Clean up any spills as soon as possible, using an absorbent material to collect it. Collect in closed and suitable containers

for disposal. To clean the floor and all objects contaminated by this material, use plenty of water. Take off contaminated clothing.

Other information : Comply with local regulations for disposal.

#### 6.4. Reference to other sections

Disposal: see section 13.

19/07/2023 (Revision date) EN (English) 5/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with applicable regulations. Remove contaminated clothing immediately. Clean

contaminated objects and areas thoroughly observing environmental regulations. Keep away from sources of ignition - No smoking. Handle in accordance with good industrial hygiene and safety procedures. Discharge into the environment must be avoided. Keep container tightly closed. Either local exhaust or general room ventilation is usually required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Use good

personal hygiene practices.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Clean bulk tanks periodically to prevent accumulation of bacteria.

Storage conditions : Protect against: frost. Protect against direct sunlight.

Storage temperature : see technical datasheet

Storage area : Store in a dry area. Comply with applicable regulations. Collect spillage.

Packaging materials : Plastic.

#### 7.3. Specific end use(s)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

- phenoxyethanol (122-99-6)		
Finland - Occupational Exposure Limits	land - Occupational Exposure Limits	
Local name	2-Fenoksietanoli	
HTP (OEL TWA) [1]	110 mg/m³	
HTP (OEL TWA) [2]	20 ppm	
HTP (OEL STEL)	290 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Remark	lho	
Regulatory reference HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)		
Germany - Occupational Exposure Limits (TRGS 90	0)	
Local name	2-Phenoxyethanol	
AGW (OEL TWA) [1]	110 mg/m³	
AGW (OEL TWA) [2]	20 ppm	
Peak exposure limitation factor	1(1)	
Remark	DFG,H,Y,11	
Regulatory reference TRGS900		
Poland - Occupational Exposure Limits		
Local name	2-Fenoksyetanol	
NDS (OEL TWA)	230 mg/m³	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2- phenoxyethanol (122-99-6)			
Regulatory reference	Dz. U. 2018 poz. 1286		
propylene glycol (57-55-6)	propylene glycol (57-55-6)		
Lithuania - Occupational Exposure Limits			
Local name	Propilenglikolis		
IPRV (OEL TWA)	7 mg/m³		
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)		
Poland - Occupational Exposure Limits			
Local name	Propano-1,2-diol		
NDS (OEL TWA)	100 mg/m³ pary i frakcja wdychalna		
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.		
Regulatory reference	Dz. U. 2018 poz. 1286		
United Kingdom - Occupational Exposure Limits			
Local name	Propane-1,2-diol		
WEL TWA (OEL TWA) [1]	10 mg/m³ particulates 474 mg/m³ total vapour and particulates		
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Norway - Occupational Exposure Limits			
Local name	Propan-1,2-diol		
Grenseverdi (OEL TWA) [1]	79 mg/m³		
Grenseverdi (OEL TWA) [2]	25 ppm		
Regulatory reference	FOR-2021-06-28-2248		

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Safe handling : see section 7

Additional information : To date, no national critical limit values exist.

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

## 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses (EN 166)

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Avoid contact with skin.

#### Hand protection:

Nitrile rubber gloves (thickness: 0.38mm)

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Not applicable

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Do not allow uncontrolled discharge of product into the environment.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : white. Appearance : as liquid. Odour : characteristic. Odour threshold : Inconclusive Melting point : Not available Freezing point : Not available **Boiling point** : No available data : Not available Flammability Explosive properties : None. Oxidising properties : None. **Explosive limits** : Not available : Not available Lower explosion limit Upper explosion limit : Not available Flash point : Not applicable Auto-ignition temperature : Not applicable Decomposition temperature : Not available : 3-5

Viscosity, kinematic : Not available

Viscosity, dynamic : 0 – 20000 mPa.s BROOKFIELD RVF 3/4 @c 20°C

Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Partition coefficient n-octanol/water (Log Pow) : No available data : No available data Vapour pressure Vapour pressure at 50°C : Not available : 0,99 kg/l @ 20 °C Density Relative density : Not available Relative vapour density at 20°C Not available Particle characteristics : Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 9.2.2. Other safety characteristics

Other properties : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with: Strong acids.

#### 10.2. Chemical stability

SECTION 7: Handling and storage.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

SECTION 7: Handling and storage.

### 10.5. Incompatible materials

Strong acids. Materials that react violently or explosively with water.

### 10.6. Hazardous decomposition products

On burning: release of (highly) toxic gases/vapours. Nitrogen oxides (NOx).

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner
salts

 LD50 oral rat
 2335 mg/kg

 LD50 dermal rat
 > 2000 mg/kg

#### 2- phenoxyethanol (122-99-6)

LD50 oral rat 1840 mg/kg

## Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl (90622-77-8)

 LD50 oral rat
 > 5000 mg/kg

 LD50 dermal rabbit
 > 2000 mg/kg

## propylene glycol (57-55-6)

 LD50 oral rat
 22000 mg/kg

 LD50 dermal rabbit
 > 2000 mg/kg

Skin corrosion/irritation : Not classified pH: 3 – 5

#### propylene glycol (57-55-6)

pH 5,5 – 8,5

Serious eye damage/irritation : Causes serious eye damage.

pH: 3 – 5

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propylene glycol (57-55-6)	opylene glycol (57-55-6)		
рН	5,5 – 8,5		
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)		
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)		

#### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

No additional information available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse Ecology - general

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

chronic)	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	
LC50 - Fish [1]	1,1 mg/l
EC50 - Crustacea [1]	1,9 mg/l
ErC50 algae	2,4 mg/l
NOEC (chronic)	0,135 mg/l
2- phenoxyethanol (122-99-6)	
LC50 - Fish [1]	344 mg/l
EC50 - Crustacea [1]	488 mg/l
EC50 72h - Algae [1]	> 100 mg/l
ErC50 algae	> 500 mg/l
NOEC chronic crustacea	9,43 mg/l
NOEC chronic algae	46 mg/l
Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl (90622-77-8)	
LC50 - Fish [1]	10 mg/l
EC50 - Crustacea [1]	10 mg/l
NOEC chronic fish	> 0,1 mg/l
NOEC chronic crustacea	> 0,01 mg/l

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propylene glycol (57-55-6)	
LC50 - Fish [1]	40613 mg/l
EC50 - Crustacea [1]	4000 mg/l
EC50 96h - Algae [1]	19000 mg/l
ErC50 algae	19000 mg/l

## 12.2. Persistence and degradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	
Persistence and degradability	This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Degradable in water in anaerobic conditions.
Biodegradation	91,6 % OECD 301 B
Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl (90622-77-8)	
Persistence and degradability	This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
propylene glycol (57-55-6)	
Biodegradation	81 % OECD 301F

## 12.3. Bioaccumulative potential

Exonac AMF Ultra	ac AMF Ultra	
Partition coefficient n-octanol/water (Log Pow)	No available data	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts		
Bioconcentration factor (BCF REACH)	71	
Partition coefficient n-octanol/water (Log Kow)	4,2	
Amides, C12-18(even-numbered) and C18(unsatd.), N-hydroxyethyl (90622-77-8)		
Partition coefficient n-octanol/water (Log Kow)	4,3	
propylene glycol (57-55-6)		
Bioconcentration factor (BCF REACH)	0,09	
Partition coefficient n-octanol/water (Log Pow)	-1,07	

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

#### **Exonac AMF Ultra**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

#### 12.7. Other adverse effects

Additional information : No other effects known

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Waste disposal according to EC directives 75/442/EC, 91/689/EC and 2008/98/EC in the

corresponding versions, covering waste and dangerous waste.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. This material should

not be landfilled or deep well injected as a method of disposal. Recycled/recovered.

Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable

19/07/2023 (Revision date) EN (English) 12/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### **Overland transport**

No available data

#### Transport by sea

No available data

#### Air transport

No available data

## Inland waterway transport

No available data

#### Rail transport

No available data

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Other information, restriction and prohibition regulations

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010. Labelling according to Regulation (EC) No. 1272/2008 [CLP]. Other regulations (EU). Not applicable.

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Exonac AMF Ultra ; 2- phenoxyethanol	
3(c)	Exonac AMF Ultra	

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List ≥ 0,1 % / SCL

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

To date, no national critical limit values exist.

#### **France**

Occupational diseases	
Code Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

**Denmark** 

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

#### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
1.1	Product name	Modified	

Full text of H- and EUF	l-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Eye Dam. 1	H318	Calculation method
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

All recommendations for the use of our products, whether given by us, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations the user is responsible that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely responsible for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights